

CONTRIBUTORS

Appraisal and Summary

Lesley Sander, Ruth Turley

Critical Appraisal Review

Chapter 1

Professor Neil Frude, *Consultant Clinical Psychologist, Cardiff and Vale NHS Trust*

Chapter 2

Dr Anne Fothergill, *Principal Lecturer and Mental Health Field Leader, University of Glamorgan*

Dr Allyson Lipp, *Principal Lecturer, School of Care Sciences, University of Glamorgan*

Chapter 3

Dr Lyn Harris, *Consultant in Public Health, National Public Health Service for Wales*

Chapter 4

Helen Bennet, *Head of Mental Health Nursing, Cardiff and Vale NHS Trust*

Chapter 5

Dr Norman Vetter, *Reader at the Department of Epidemiology, Statistics and Public Health, Cardiff University*

Chapter 6

Dr Ian Hughes, *Consultant Psychologist, Cardiff and Vale NHS Trust*

Rachel Walters, *formerly Social worker, Links CMHT Cardiff*

Sian Price, *Public Health Specialist, National Public Health Service for Wales*

Chapter 7

Dr Katherine Shelton, *Research Associate, Department of Psychological Medicine, Cardiff University*

Dr Mary McMurrin, *Senior Research Fellow, School of Psychology, Cardiff University, and Consultant Clinical & Forensic Psychologist, Llanarth Court Hospital*

Chapter 8

Dr Stephen Hunter, *Medical Director, Gwent Healthcare NHS Trust*

Project Directors

Peter Martin, *Senior Policy Advisor, Welsh Assembly Government*

Dr Sarah Watkins, *Senior Medical Officer, Welsh Assembly Government*

Internal Review Group

Phil Chick, *Director of Mental Health, Welsh Assembly Government*

Bob Colter, *Consultant Clinical Psychologist and Clinical Director Adult Mental Health Services, Gwent Healthcare NHS Trust*

Professor Sally-Ann Cooper, *Professor of Learning Disabilities, University of Glasgow*

Professor Nick Craddock, *Professor of Psychiatry, Cardiff University*

Professor Keith Lloyd, *Professor of Psychological Medicine, University of Wales Swansea*

Professor David Kingdon, *Professor of Mental Health Care Delivery, University of Southampton*

Dr Andrew McIntosh, *Lecturer in Psychiatry, Edinburgh University*

Professor David Menkes, *Professor of Psychological Medicine, Wales College of Medicine, Wrexham*

Professor Michael O'Donovan, *Professor of Psychiatric Geriatrics, Cardiff University*

Mark Winston, *Consultant Psychiatrist, St Tydfils Hospital, North Glamorgan NHS Trust*

External Review Group

Professor Glyn Lewis, *Professor of Psychiatric Epidemiology, University of Bristol*

Professor Graham Thornicroft, *Professor of Community Psychiatry, Kings College London*

Professor Lindsay Prior, *Professor of Sociology, Queen's University, Belfast*

Liz Griffiths-Hughes, *Recovery / Empowerment Co-ordinator, Hafal*

Information Manager

Ruth Turley

Information Specialists

Mala Mann, Lesley Sander

Internet Advisor

Mrs Hazel Hodson

The Information Team expresses sincere thanks to Dr Alison Weightman for her significant contribution in the planning and early stages of the Project, and continued guidance throughout. The team are also grateful for the epidemiological and statistical advice provided by Dr Hollie Thomas (Dept of Psychological Medicine), Philip Rawle for critical appraisal support and also to Elizabeth Jenkins for administrative support.

This Project is undertaken by the Support Unit for Research Evidence, Information Services at Cardiff University supported by the Welsh Assembly Government. The Bulletin is joint funded by the Welsh Assembly Government and the National Public Health Service.



This Bulletin should be cited as:

Health Evidence Bulletins Wales:
Mental Health. Cardiff: National Public Health Service
for Wales, 2005.
ISBN: 0 9547446 8 3

CONTENTS

<i>Chapter</i>	<i>Page Number</i>
Introduction	2
Glossary	4
1. Social Inclusion: <i>Social inclusion, health promotion and tackling stigma</i>	5
2. Empowerment: <i>Service user and carer empowerment</i>	37
3. Daily Life: <i>Promotion of opportunities for a normal pattern of daily life</i>	55
4. Equitable, Accessible Services: <i>Providing equitable, accessible services</i>	69
5. Commissioning Services: <i>Commissioning effective, comprehensive and responsive services</i>	77
6. Delivering Services: <i>Delivering effective, comprehensive and responsive services</i>	97
7. Client Assessment and Care Pathways: <i>Effective client assessment and care pathways</i>	159
8. Workforce: <i>Ensuring a well staffed, skilled and supported workforce</i>	233

INTRODUCTION

The original series *Protocols for Investment in Health Gain* were written in the early 1990s to suggest areas where the introduction, or more widespread use, of certain practices could lead to worthwhile improvements in health for the people of Wales. Subsequently, the Health Evidence Bulletins Wales (HEBW) projectⁱ was instigated in 1996 to review these documents and provide summaries or statements of the best current evidence with a precise indication of the strength of the evidence and its sources for each statement.

The first HEBW Mental Health Bulletinⁱⁱ focused on bringing together evidence for the effectiveness of largely medical and health service interventions for selected disorders. This Bulletin was developed specifically to support the implementation of the Wales National Service Framework (NSF) for Adult Mental Health Services in Walesⁱⁱⁱ and has been structured to support the updated NSF^{iv}. Topics include mental health promotion and social inclusion, the needs of service users and carers, access to services, provision of comprehensive assessment and treatment, and recruiting and maintaining a skilled workforce. In accordance with the NSF, the Bulletin also links to issues for children's mental health services, services for elderly people with a mental illness, drug and alcohol misuse provision and those with mental health problems in the criminal justice system.

The statements represent a methodical summary of the evidence in this area identified through a formal literature search across a wide range of sources. The evidence has been critically appraised using internationally accepted methods, summarised and compiled into this document and reviewed by a multidisciplinary team^v. The information in this document and the Project Methodology are also available electronically, via the Health of Wales Information Service (<http://nwww.wales.nhs.uk/hebw>) and the Internet (<http://hebw.cardiff.ac.uk>).

The convention used in this document to indicate the type of evidence is^{vi}:

'Type I evidence' - at least one good systematic review (including at least one randomised controlled trial)

'Type II evidence' - at least one good randomised controlled trial

'Type III evidence' - well designed interventional studies without randomisation

'Type IV evidence' - well designed observational studies

'Type V evidence' - expert opinion; influential reports and studies

The use of evidence type rather than evidence hierarchy has been chosen deliberately. Every attempt has been made to find the best available evidence within each topic. Information from high quality intervention studies is included whenever possible but observational evidence is also cited where relevant. By valuing evidence from randomised controlled trials more highly than observational studies there is a danger that interventions with limited effectiveness might be judged more worthy than those based on observation. Similarly, those observational studies that clearly prove effectiveness (and make a randomised trial unethical) might be undervalued.

In addition, qualitative research can be more appropriate for interventions designed to influence human behaviour; providing insights into people's experiences and into the social contexts that strengthen, support or diminish behaviour.

Information assigned as Type V evidence may include expert opinion and important reports or recommendations that should also be highly regarded.

Statistically significant quantitative information has been provided where possible using the units of measure provided in the cited publication(s). For guidelines, an indication is given as to whether they are based on a systematic review (evidence based guidelines) and/or developed via the consensus of an expert panel (expert consensus guidelines).

The following information sources were systematically searched in the preparation of this Bulletin: ASSIA, AMED, Caredata, CINAHL, Clinical Evidence, Embase, Evidence Base, EBM Reviews (including the Cochrane Library), HMIC, Medline, National Institute for Clinical Evidence (NICE), National Research Register, PsycINFO, SIGLE, TRIP, SIGN Guidelines, Sociological Abstracts, and Web of Knowledge. Internet websites such as the Department of Health, and specialist Societies and Colleges (e.g. Sainsbury Centre for Mental Health, The Royal College of Psychiatrists) were also searched.

Search filters were used to search for systematic reviews and randomised controlled trials across all topic areas^v. Randomised controlled trials with less than 100 participants were normally excluded unless a smaller trial was the best available evidence within a subject area. Specific searches for all types of evidence were then carried out for topics where evidence from randomised controlled trials was not available or feasible.

A comprehensive literature search, to identify recent reliable evidence across all topics, was carried out covering publications from 2000 to November 2003. Update searches were performed in the Cochrane Database of Systematic Reviews 2004 Issue 4 for all topics. In addition, selected information sources from the list above were searched during November and December 2004 for certain topics as advised by reviewers of the Bulletin. Full details of all the search strategies used are available from the Project Office.^{vii}

This Bulletin is designed to summarise the best current evidence to support the development of implementation tools such as guidelines and care pathways at national and local levels. It is also anticipated that the document will be of interest to students, educators and healthcare professionals, in keeping abreast of the large and increasing body of literature in this field. Some of the conclusions reached in this Bulletin will inevitably be controversial. Every effort has been made to include the best evidence within a subject area. Readers who are aware of any important studies that have been overlooked are encouraged to contact the project team^{vii}

While every effort is made to avoid errors in these summaries, the statements are intended to act as signposts to reliable sources of evidence, not as guidelines for the management of patients. It is hoped that this Bulletin will facilitate evidence-based practice, which involves “integrating individual expertise with the best available external evidence from systematic research”^{viii}

- i <http://hebwbw.cardiff.ac.uk>
- ii *Health Evidence Bulletins - Wales: Mental Health*. Cardiff: Welsh Office, 1998 <http://hebwbw.cardiff.ac.uk/mental/index.html> [accessed 01.11.05]
- iii *Adult Mental Health Services. A National Framework for Wales*. Cardiff: Welsh Assembly Government, April 2002. <http://www.wales.gov.uk/subihealth/content/keypubs/pdf/adult-mental-nsf-e.pdf> [accessed 16.05.05]
- iv *'Raising The Standard' The Revised Adult Mental Health National Service Framework and an Action Plan for Wales*. Cardiff: Welsh Assembly Government, October 2005 <http://www.wales.gov.uk/subihealth/content/reports/raising-standard-e.pdf> [accessed 01.11.05]
- v Weightman AL, Mann MK, Sander L, Turley RL. *Health Evidence Bulletins Wales. Project Methodology 5*. Cardiff: Information Services University of Wales College of Medicine, January 2004 <http://hebwbw.cardiff.ac.uk/projectmethod/title.htm> [accessed 01.11.05]
- vi This table is adapted from the Bandolier system (derived from the work at McMaster University, Canada) using the Centre for Reviews and Dissemination criteria for a systematic review. See <http://www.jr2.ox.ac.uk/Bandolier/band6/b6-5.html> [accessed 01.11.05] and the Database of Abstracts of Reviews of Effectiveness (DARE) <http://www.york.ac.uk/inst/crd/faq4.htm> [accessed 01.11.05]
- vii Health Evidence Bulletins Wales. Information Services. Cardiff University, Cardiff CF14 4XN. Email: TurleyRL@cardiff.ac.uk
- viii Sackett DL, Richardson WS, Rosenberg W, Haynes RB. *Evidence-based Medicine. How to Practice and Teach EBM* Edinburgh: Churchill Livingstone, 1997.

Glossary of Abbreviations used in this Bulletin

ACCESS	Access to Community Care and Effective Services and Supports	ICM	Intensive Case Management
ACT	Assertive Community Treatment	ICT	Information and Computing Technologies
ASAP	Assaulted Staff Action Programme	ID	Intellectual Disability
BDI	Beck Depression Inventory	IPS	Individual Placement and Support
BPD	Borderline Personality Disorder	LQOLP	Lancashire Quality of Life Profile
CAMHS	Child and Adolescent Mental Health Services	MDOs	Mentally Disordered Offenders
CBT	Cognitive Behavioural Therapy	MHS	Mental Health Service
CI	Confidence Interval	MHWs	Mental Health Workers
CISM	Critical Incident Stress Management	NICE	National Institute for Health and Clinical Excellence
CMHT	Community Mental Health Team	NNH	Number Needed to Harm
CPA	Care Programme Approach	NNT	Number needed to treat
CPN	Community Psychiatric Nurse	OCD	Obsessive Compulsive Disorder
COAST	Croydon Outreach and Assertive Support Team	OR	Odds Ratio
COPEs	Community Oriented Program Environmental Scale	PANSS	Positive and Negative Syndrome Scale
DLRR	DerSimonian – Laird Relative Risk	PCP	Primary Care Practitioner
DSH	Deliberate Self Harm	PTSD	Post Traumatic Stress Disorder
EPDS	Edinburgh Postnatal Depression Scale	QOL	Quality of Life
ESS	Ethnic Specific Services	RCT	Randomised Controlled Trial
FSW	Family Support Worker	RR	Relative Risk
GAD	General Anxiety Disorder	SD	Standardised Difference
GAF	Global Assessment of Functioning	SDQ	Strengths and Difficulties Questionnaire
		YBOCS	Yale-Brown OCD Scale
		YOT	Youth Offending Team